Phone: 888-558-5227

651-644-8424 Email: getinfo@lktlabs.com

888-558-7329 Fax:

Web: lktlabs.com

Product Information

Product ID 02145

CAS No. 118120-51-7

Chemical Name 9-Fluoro-2,3-dihydro-3-methyl-10-(4-methyl-1- piperazinyl)-7-oxo-7H-

pyrido[1,2,3-de]-1,4- benzoxazine-6-carboxylic acid

Synonym Ofloxacin, Exocin, Floxil, Oflocet, Tarivid, Visiren

Formula C₁₈H₂₀FN₃O₄ • HCl

Formula Wt. 397.83 Melting Point 250-257°C Purity ≥98%

Solubility Soluble in water.

Pricing and Availability

Bulk quanitites available upon request

Product ID	Size	List Price
O2145	1 g	\$33.10
O2145	5 g	\$71.70
O2145	10 g	\$110.30
O2145	50 a	\$330.80

Store Temp Ambient Ship Temp Ambient

Description Ofloxacin is a second generation fluoroquinolone antibiotic. This compound is often given as a topical treatment for ocular and

otic infections. Like other fluoroquinolones, ofloxacin inhibits topoisomerase IV and DNA gyrase; it exhibits antibacterial efficacy against both gram positive and gram negative bacteria. Under UV light, ofloxacin exhibits phototoxicity, disputing the mitochondrial membrane potential and inducing ROS-mediated DNA damage.

References Dwivedi A, Mujtaba SF, Yadav N, et al. Cellular and molecular mechanism of ofloxacin induced apoptotic cell death under ambient UV-A and sunlight exposure. Free Radic Res. 2014 Mar;48(3):333-46. PMID: 24286391.

> Pantel A, Petrella S, Matrat S, et al. DNA gyrase inhibition assays are necessary to demonstrate fluoroquinolone resistance secondary to gyrB mutations in Mycobacterium tuberculosis. Antimicrob Agents Chemother. 2011 Oct;55(10):4524-9. PMID:

> Drlica K, Zhao X. DNA gyrase, topoisomerase IV, and the 4-quinolones. Microbiol Mol Biol Rev. 1997 Sep;61(3):377-92. PMID: 9293187.

Caution: This product is intended for laboratory and research use only. It is not for human or drug use.